

LEISTER

PLASTIC WELDING

The handy
partner
on the roof:

UNIROOF E





Its small dimensions mean that there are no obstacles for the UNIROOF E.



Work doesn't stop at the edging boards.




The UNIROOF even deals superbly with small radii.




The «little one» even does a great job on railings.



Carrying case in rigid plastic offers optimal protection




Back-protecting guide bar



Thanks to strong engine power, inclinations of up to 30° are possible



Ergonomical handle for comfortable carrying



Proven operating unit as on VARIMAT V



Increased safety with the locking hot air unit



Air partition for homogenous welding seam




Accessories

Interim weight: Art.-No.: 107.067



Assembly without tools for optimal pressure adjustment

Extraction device: Art.-No. 115.057



Changing to next welding seam is easy

Grip nozzle: Art.-No. 125.685



Roughening and welding of TPO sheets in one operation



Headquarters:


Leister Process Technologies
Galileo-Strasse 10
6056 Kaegiswil/Switzerland

phone: +41 41 662 74 74
fax: +41 41 662 74 16
leister@leister.com

www.leister.com

Leister Process Technologies is certified according to **ISO 9001:2000**.

Specifications are subject to change without prior notice



Our close worldwide network of more than 120 Sales and Service Centres in more than 60 countries.

© Copyright by Leister